

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	221	((J) near2 (VOGEL)).INV.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/05/10 09:00
L2	0	I1 and mobile and self adj distributed adj key	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/10 09:01
L3	0	I1 and access adj point	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/10 09:02
L4	8	I1 and mobile	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/10 09:02
L5	4025	380/270,277,44.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/10 09:09
L6	0	713/171,168.ccls,	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/10 09:09
L7	3608	713/171,168.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/10 09:09
L8	502	I5 and I7	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/10 09:09

L9	0	access adj point with channel adj key with (self adj distributed adj key or self\$1distributed adj key)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/10 09:11
L10	0	I8 and access adj point with (channel or session) near4 key\$1 with self \$1distributed adj key or "self distributed key"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/10 09:12
L11	0	I8 and "access point" and (mobile or portable or cell \$4 or phone or pda or blackberry or laptop) with self adj distributed with key\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/10 09:14
L12	3515	713/150,168.ocls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/10 09:23
L13	0	I12 and channel adj key with (self adj distributed adj key or self \$1distributed adj key)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/10 09:24
L14	50	I8 and "access point" and (mobile or portable or cell \$4 or phone or pda or blackberry or laptop)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/10 09:25
L15	6	I14 and @ad<"20000912"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/10 09:26
L16	0	I14 and self\$1distributed	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/10 09:26

L17	182	380/273.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/10 09:32
L18	18	I17 and "access point" and (mobile or portable or cell\$4 or phone or pda or blackberry or laptop)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/10 09:32
L19	0	I18 and @ad<"20000912"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/10 09:32
S35	0	access adj point with (send or transmi\$4 or forward\$4 or sent or transfer\$4) near10 (channel or session) near10 key\$1 with terminate with connect\$4 with establish\$4 near10 secure near10 connection	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/10 08:11
S36	0	access adj point with (send or transmi\$4 or forward\$4 or sent or transfer\$4) near10 ("channel key" or "session key") with "terminate connection" with establish \$4 near10 "secure near10 connection"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/10 08:13
S37	0	access adj point with (send or transmi\$4 or forward\$4 or sent or transfer\$4) near10 ("channel key" or "session key") with "terminate connection" with establish \$4 near10 "secure connection"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/10 08:13
S38	0	access adj point with (send or transmi\$4 or forward\$4 or sent or transfer\$4) near10 ("channel key" or "session key") with establish\$4 near10 "secure connection"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/10 08:14

S39	13	access adj point with (send or transmi\$4 or forward\$4 or sent or transfer\$4) near10 ("channel key" or "session key") with (station or mobile or cell\$4 or phone or pda or blackberry)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/10 08:14
S40	0	S39 and @ad<"20000912"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/10 08:15
S41	601	access adj point with (send or transmi\$4 or forward\$4 or sent or transfer\$4) near10 (channel or session) with (station or mobile or cell \$4 or phone or pda or blackberry)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/10 08:16
S42	127	access adj point with (send or transmi\$4 or forward\$4 or sent or transfer\$4) near10 key\$1 with (station or mobile or cell\$4 or phone or pda or blackberry)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/10 08:17
S43	5	S42 and @ad<"20000912"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/10 08:17
S44	0	access adj point and (mobile or cell\$4 or phone or portable or laptop or pda or blackberry or station\$1 pr terminal\$1) and ("self distributed key")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/10 08:26
S45	0	access adj point and "self distributed key"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/10 08:28

S46	0	access adj point and terminat\$4 near10 setup adj connection with secure adj connection	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/05/10 08:30
-----	---	--	---	----	-----	---------------------

**5/ 10/ 2009 9:34:33 AM**

**C:\ Documents and Settings\ ttran26\ My Documents\ EAST\ Workspaces\ 09659864\_.wsp**